



### Southowram Arban Sanitary

AUTHORITY.

# ANNUAL REPORT

OF THE

### MEDICAL OFFICER OF HEALTH,

FOR 1898.

B. E. I. EDWARDS, Medical Officer of Health.



Printed at the "News" Office, Brighouse.





Digitized by the Internet Archive in 2018 with funding from Wellcome Library

## Annual Report

#### FOR THE YEAR 1898.

To the Chairman and Members of the Southowram

Urban District Council.

GENTLEMEN,

I beg to lay before you my Report on the Vital Statistics and Sanitary Conditions of the District for the year 1898.

The main feature of the year was the outbreak of Scarlatina in the month of November, which necessitated the closure of Brookfoot Board School. The Death Rate for the year is somewhat above the average of the previous ten years, viz:—19.7 as against 17.7.

The Sanitary Condition of the District is being brought year by year more into line with modern requirements, and is generally satisfactory.

By the kindness of the Rev. G. E. Aspinall I am again in a position to add a table of Rainfall during the year.

I beg to remain, Gentlemen,

Your faithful Servant,

B. E. I. EDWARDS, M.B. & C.M.

F.R.I.P.H.

Medical Officer of Health.

#### VITAL STATISTICS.

Acreage.—At the census of 1891 the area of the Board's district was 1,825 acres.

Population.—The population at the census of 1891 was 3,058, consisting of 1,596 males and 1,462 females. The number of inhabited houses was 622, while 59 were uninhabited. The population estimated to the middle of 1898, and which forms the basis of the following calculations, is 3,143.

Births.—The births during the year number 76, composed of 39 males and 37 females, being equivalent to an annual rate of 24·18 per thousand, as compared with 22·40 last year, and an average for the previous five years of 21·41.

Deaths.—The deaths number 64. Of these 2 were non-residents; one being a case of drowning reported to the Coroner, and the other an inmate of the Shibden Industrial School. Of the 62 Residential Deaths, 34 were males and 28 females being equivalent to an annual rate of 19.72 per thousand, as compared with 16.64 last year, and an average for the preceding five years of 17.44. The Death Rate for the whole of England and Wales during the same period being 17.6.

Table E, which gives among other information the death rates for each month of the year shews that the bulk of the deaths occurred in infants, and during the middle years of life, from 25 to 65; the percentage being 57.36 of the total deaths.

Respiratory Diseases account for 14.7 per cent., phthisis for 13.1 per cent., and Infectious Diseases for 11.4 per cent., an unusually large figure.

Eleven deaths were reported to the Coroner, and one was uncertified.

The Infant Mortality is 224 as compared with 161 in the whole of England and Wales.

#### INFECTIOUS DISEASES.

Nineteen cases of Infectious Diseases have been notified, of which an analysis will be found in Table G.

During the month of November, cases occurred so rapidly, principally in families whose children attended the Brookfoot Board School, that it was considered advisable to close this school for a fortnight and have it thoroughly cleansed. Although it is impossible to ascertain exactly how the outbreak originated, there is no doubt this School served as the principal means for its dissemination.

The lower portion of the School is very damp, and the Sanitary Conveniences attached to it are by no means above suspicion.

#### FOODS AND DRUGS.

Two Samples of Milk were taken, and reported on favourably by the County Analyst.

#### FACTORIES AND WORKSHOPS.

The factories and workshops in the district coming under the above Act have been inspected and found to be in good sanitary condition.

#### VITAL STATISTICS FOR THE YEAR 1898.

1898.	ENGLAND AND WALES.	Thirty- three Great Towns.	Sixty-seven other Large Towns.	England and Wales less the 100 Towns.		
BIRTH-RATE	29.4					
DEATH-RATE	17.6	19.0	$17 \cdot 2$	16.7		
Zymotic Death-rate .	2.22	2.85	$2 \cdot 41$	1.75		
Infantile Mortality	161	178	173	145		

TABLE OF **DEATHS** during the Year 1898, in the Southowram Urban District, classified according to Diseases, Ages, and Localities.

							-
Z	22		, E	LOTAL	24	:	38
FROM SUBJOINED CAUSES, DISTINGUISHED DEATHS OF CHILDREN UNDER FIVE YEARS OF AGE.	21	- anglass of	ธรรธธ			:	<del>بر</del>
III	2		other			:	
CE	8 19 20		səiri	iţaI			
OF	1:0	*				:	
82	18			Disc		•	ಣ
TH		far		вэН		:	
EA	-		umoni Pleur		20	:	7
A	17		sitidən inomu			:	
EED GE.	91		sisid			:	$\infty$
INED CAUSES, DISTINGUISHEI UNDER FIVE YEARS OF AGE.	15 16		1949			:	
GU	-	อ	itemu			:	
NIN			entery			:	
IST	14		po	e e	2	•	
DYE			rrhæa			:	
S. H	3		ពឥប្ត	OO	4	•	
USE	2	,	gaigoo		73	:	
CAI	7 8 9 10 11 12  13		89181		<u>CA</u>	:	
D (	11		seləqie			•	
ZZ	110			Cho		:	
IOI	0.		Leragr			:	
JBJ	00	ri	gaisqa			:	
23	_	FEVERS	6'uaið			:	
OM	9	EV	biod	Typ		:	
FR	-	F	70			•	
	10			Ent		:	
Mortality				d & L		•	
TA	4	sno	nbranc Croup	TAT G.F.			
<u> </u>			1	D. A.		**	
9	ಣ	1	ntheria	idia		:	
Mo	2	1	airedta	lqiQ_	7	•	
Mo	2	1	saital: atheria	Scar IqiQ	7	•	
Mo		1	airedta	Scar IqiQ		•	ý
Mo	2	1	saital: atheria	Sms Sear IqiQ	r 5	•	ırds.
Mo	2	1	saital: atheria	Scar IqiQ	ider 5	•	wards
Mo	2	1	saital: atheria	Sms Sear IqiQ	Under 5	•	upwards.
Mo	2	1	Ilpox Istins otheris	Sms Sear IqiQ	Under 5		5 upwards.
Mo	2	1	Ilpox Istins otheris	© Sma Sear	Under 5		
Mo	2	65	and up- lipox ards.	Sms Sear IqiQ	Under 5		12 5 upwards.
Mo	2	65	and up- lipox ards.	(h) (c) (d) (d) (d) (d) (d)	Under 5		
	2	65	and up- lipox ards.	(h) (c) (d) (d) (d) (d) (d)	Under 5		12
	2	65	and up- lipox ards.	© Sma Sear	Under 5		
	2 1	25 65	and and under up-	(y) (h) (i) Sear Sear Diph	Under 5		19 12
	2 1	25 65	and and under up-	(y) (h) (i) Sear Sear Diph	Under 5		12
	2 1	15 25 65	and and and under up-	(h) (c) (d) (d) (d) (d) (d)	Under 5		19 12
	2 1	15 25 65	and and and under up-	$(f) \qquad (g) \qquad (g)$ Scal Scal Dipl	Under 5		2   19   12
	2 1	15 25 65	and and and under up-	(y) (h) (i) Sear Sear Diph	Under 5		19 12
	2 1	5 15 25 65	and and and and under up-	$(f) \qquad (g) \qquad (g)$ Scal Scal Dipple	Under 5		2   19   12
	2 1	5 15 25 65	and and and and under up-	(e) (f) (h) (i) Scar Scar (lip)	Under 5		2   19   12
	2 1	1 5 25 65	and and and and and and under under under under up-	$(f) \qquad (g) \qquad (g)$ Scal Scal Dipple	Under 5		5 2 19 12
	2 1	1 5 25 65	and and and and and and under under under under up-	$(d) \qquad (f) \qquad (g) \qquad (h) \qquad (g)$ Scan $S$ Goal $O$ $O$	Under 5		5 2 19 12
USES,	2 1	1 5 25 65	and and and and and and under under under under up-	$(d) \qquad (f) \qquad (g) \qquad (h) \qquad (g)$ Scan $S$ Goal $O$ $O$	Under 5		5 2 19 12
	2 1	Inder 1 5 15 25 65	year. 5 15 25 65 wards.	(e) (f) (h) (i) Scar Scar (lip)	Under 5		7 5 2 19 12
	2 1	Inder 1 5 15 25 65	year. 5 15 25 65 wards.	(c) (d) (e) (f) (f) (f) (f) (g) $Scat$	Under 5		17     7     5     2     19     12
	2 1	Inder 1 5 15 25 65	and and and and and and under under under under up-	$(d) \qquad (f) \qquad (g) \qquad (h) \qquad (g)$ Scan $S$ Goal $O$ $O$	Under 5		7 5 2 19 12

subjoined numbers have also to be taken into account in judging of the above records of mortality. The

			1
		7	
	:		
	:		
	:		l
_			
	:		
			l
	:		
	:		
	:		
	•		
	:		l
	:		
	:		
	:		
	:		
	:		
	•		
	:		l
	•		l
	:		I
			L
	:		
	•		
	•		
	•		
		rds	
		wards	
		upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards 1	
		5 upwards	
		5 upwards	
		5 upwards	
		5 upwards 1	
		5 upwards	
		5 upwards	
		5 upwards	

Sickness, coming to the knowledge of the Medical Officer of Health, during the year 1898, in the Southowram Urban Sanitary District; classified according to Disrases, Ages and Localities.

NUMBER OF SUCH CASES REMOVED FROM THEIR HOMES IN THE SEVERAL LOCALITIES FOR TREATMENT IN ISOLATION HOSPITAL	133			
FRC ITT	12			•
DAL CAL	besss =	Eaysi		•
NCMBER OF SUCH CASES REMOVED FROM THEIR HOMES IN THE SEVERAL LOCALITIES FOR TREATMENT IN ISOLATION HOSPITAL	Sing   Sing	Chole		•
AE J	co [[grad	Puerp		:
REE TIC	o janis	Relap		•
ES EVJ	FEVERS.	itanoO		•
AS S	y bio	Typho		
OHU	F.E.	10		:
N T	oi su	Hnter		•
ST	st	ndqvT		:
OF M.F.	4 du	Oro		•
ER H C	neria es	Memb		:
T H	saits	Dipht	8	
VC HE OR	- xod	Scarls	12	•
OF SICKNESS IN EACH LOCAL. NUMBER OF SUCH CASES REMOVED FROM TO THE KNOWLEDGE OF THE THEIR HOMES IN THE SEVERAL LOCALITIES AL OFFICER OF HEALTH.	144 XOO	Small		
NEW CASES OF SICKNESS IN EACH LOCAL. ITY, COMING TO THE KNOWLEDGE OF THE MERICAL OFFICER OF HEALTH.	RS			•
F T		106-5-		•
H I H I H I H I H I H I H I H I H I H I	Selaa	Erysi		
ACI DG1	61	Chole		:
E E	6790	Puerp		•
I I N	sails	Kelap		•
ESS	FEVERS Dio	Conti		•
KN E I	o E bio	ro AqvT	೧೦	
TH	21.	Hnter or		•
E O I	sn sn	Typh		•
	dne	Oro		•
SES	suons10	Meml		•
CA	eineria co			•
<b>₩</b> ,	edina 6013a	Scarl	10	*
NEW CASES ITY, COMING MERIC	- xod	Small		•
CONTRACTOR OF THE PARTY OF THE			in a pile man	
	under 5 or over 5			•
0.0	der or 'er	(e)		•
4	un vo			•
			and the second	
'91	Birtl			
sted	dsigəA Haig	(p)		94
H	Estimated to middle of 1898	A Comment of the State of the S	house his to the	
AI	Estimated to middle of 1898			ಣ
AT	to to dd	(0)		3143
ON ES.	Est			
AGES				
	13 8			S
JLA	702 700			1(2)
POPULATION AT ALL AGES.	Last Jensus.	( <i>q</i> )		3058

#### TABLE C. 1898.

#### SOUTHROWRAM SANITARY DISTRICT.

MEDICAL OFFICER OF HEALTH, B. E. I. EDWARDS.

SANITARY INSPECTOR, R. NICHOLL.

WATER SUPPLY—

Quality, Good. Action on Lead, Slight.

Any extensions or change during 1898? None.

Any inadequacy in any part? None.

SEWERAGE AND SEWAGE DISPOSAL—

Extensious or Improvements during 1898? None.

SCAVENGING-

Are the privy-middens, etc., cleansed by Sanitary staff, by Contractors, or by Owners and Tenants? Tenants.

ADOPTIVE ACTS—

Public Health Acts (Amendment) Act, 1890, Part 3; adopted, 1897.

Infectious Disease (**Prevention**) Act, 1890. No.

What was the amount paid to practitioners under the Infectious Disease (Notification) Act during 1898? £1 o o.

BY-LAWS-

Any adopted or sanctioned during 1898? No.

Are they properly enforced? Any deffciency? Under Revision.

ISOLATION HOSPITAL—Brighouse Joint Hospital.

DWELLINGS-

Number of Houses built during 1898? None.

Houses unfit for habitation? Noue. Overcrowding? None.

Overcrowding of houses on area? None.

Any action taken under the Housing of the Working Classes Act, 1890? No.

METEOROLOGY-Rainfall 28.74 inches.

GEOLOGY—Nature of Soil, Sandy. Snbsoil, Sandstone.

MISCELLANEOUS—

Is House-to-house Inspection systematically made? Yes.

Total No. of Nuisances in hand at close of 1897, 1. At close of 1898, None. Reported during 1898, 33. Abated during 1898, 34.

Total No. of Summonses or other Legal Proceedings, None.

No. of Sink wastes disconnected during 1898, 18.

,, ,, trapped ,, 18.

No. of Closets constructed during 1898, 6. Kinds, Privy Middens.

Any diseases peculiarly endemic in the district? No.

Any information as to number of deaths from cancer of all kinds during 1898? 3.

Any information as to the number of deaths from Tabes Mesenterica? None.

Vaccination—General efficiency, no information.

What action has been taken in regard to the following matters?

Seizure of Unsound Food, None. Prosecutions, None.

Samples under Sale cf Food and Drugs Acts, 2 taken. Prosecutions, None.

River Pollution, None. Smoke Abatement, None.

Inspection of Factories and Workshops, Result of Inspection Satisfactory.

Schools—No. in District, 2. No. closed on account of outbreaks of nisease, 1. Total duration of closure from the cause, 2 weeks.

Burial Grounds—No. in District, 3. Any need for oxtension?

BIRTHS—Males, 39; Females, 37; Total, 76.

Number illegitimate, included in the above, Unknown.

Any information as to Still Birth, None.

DEATHS—Males, 36; Females, 28; Total 64. Number uncertified, included in the above, 1.

Sanitary Requirements of District, and Suggestions of Medical Officer of Health:—

25 Ashpits still uncovered require attention.

RATEABLE	Value upon whic	h the General District	Rate is Assessed.	Rate in
VALUE as stated in Valuation List		One-fourth Rateable Value (Land, etc.)	Two-thirds Rateable Value (where owner is assessed).	the £ 1897.
(1) £11,918 5s. 0d.	(2) £8,166 10s. 0d.	£937 18s. 9d.	(4)	2s. 6d.

(D) TABLE OF BIRTH AND DEATH RATES, &c., for 1898,

	and	for th	e prec	eding	for the preceding Ten Years.	Years	•				
	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	1898
							-				
Birth Rate	22.4	23.3	53.4	23.2	21.9	202	20.2	25.3	19.05	22 04	24.18
Death Rate	13.5	18.1	212	148	22 3	18.9	19.2	21.2	11 28	16.64	19.72
Respiratory Death Rate	5.3	3.9	6.5	5.5	4.4	.c	3.7	6 5	1.98	4.16	3.81
Phthisis Death Rate	2.0	1.9	2 6	1.7	4.1	2.4	2.4	2.0	66 0	2.56	5.24
Zymotic Death Rate	1.3	2.5	1 0	2.0	2.7	0.0	1.0	10	0 64	96 0	5.86
	1							100	2 to 10 to 1		

Monthly Table of Births and Deaths, etc., 1898. TABLE (E)

1	-			
		Reported to Coroner	: :- :a :a :a	of the hs.
-ne pq	ou t	Death Rate per 1,000 Estimated Monthly lation, 262	19.05 11.43 11.43 19.05 11.43 22.86 26.67 30.48 19.05 19.05	Per cent. of Deaths.
	S	Uncertificated Death		₹9•1
	nt hs	Homicide		
	iol'nt eaths	Suicide		
	D Z	Accident	: : : : : : : : : : : : : : : : : : :	99.9
DEATH.		All other Diseases	400 m - 1 m m 4 - 1 - 0 d 0 0	<b>∠1.6</b> ₹
田	is.	Diarrhæa	:::::::::::::::::::::::::::::::::::::::	87.8
A	Other ev. Dis.	Other Resp. Dis.	H	01.81
ĮΉ	Ottle	Pneumonia	: : : : : : : : : : : : : : : : : : : :	79.1
0	Ot Prev	Phthisis	: - : - : - : - : - : - : - : - : - :	01.81
S	•	Other Infect. Dis.	0 4 : : : : : : : : : : : : : : : : : :	78.6
田	eases	Puerperal Fover		:
AUSE	Dise	Erisipelas		
	A	SnydAL		:
$\circ$	ns	Diptheria & Croup	: : : : : : : : : : : : : : : : : : : :	₹9.1
	Infectious	Enteric Fever		:
	fec	Scarlatina		:
	In	Smallpox		
4)		65 years & upwards	: a : a : - a -   a	99.61
the	Dying.	25 to 65 years		09.67
Jo	ing	15 to 25 years	: : : : : : : : : : : : : : : : : : :	16.₹
es	Dy	5 to 15 years	: : - : : : : -   <del>4</del>	99.9
Ag		I to 5 years	H : : H : : : : : :   L	74.11
NAME AND ADDRESS OF THE OWNER, TH		0 to 1 year	8: 3-42   -	98.47
	hs.	Total		pr e.
	eat	Female	011400040001       02	19·72 p. mille.
Name of the last	Births. Deaths	Male	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24.86 pr 19.72 pr mille. mille.
	hs.	Total	201 01 01 00 00 00 00 00 00 00 00 00 00 0	pr e.
	irt	Female	о н ш г н о 4 г д г д н ш г г г г г г г г г г г г г г г г г г	4.86 pg mille.
	M	Male	Q Q U T Q O U 4 W 4 4 4 Q   0 0	24 m
		Months.	January February March April May June July August September October November December Totals	

### (F) TABLE SHEWING DEATHS REGISTERED FROM ALL CAUSES DURING THE YEAR 1898.

							A(	GE	s.	Si-0		
DI8EASES.	0 to	to	to	to	to	to	to	to	to	to	85 and over	Totals
I. Zymotic Diseases			-		-							
1. Smallpox	1.1	1	1	1 1		1 1	l i	i i				•••
2. Measles	1	1	1	1 1	1 1				1			2
3. Scarlatina			1 1	1 1	1 1	- 1			1 1	- 1		
4. Whooping Cough											• • •	4
5. Diphtheria and Croup	4	1										1
6. Typhoid Fever		_										_
Diarrhea, Dysentery	9	•••									• • •	2
Erysipelas	2										• • •	
Puerperal Fever	• •	• • •										•••
II. Parasitic Diseases (Worms, Thrush, &c.)	1		}	- 1	) [	- 1	- 1	- 11	1 1			• • •
III. Dietic Diseases (Starvation, Scurvy,	1 1											• • •
D.T.'s &c.)												
IV. Constitutional Diseases	•••											• • •
1. Rheumatic Fever	•••		1									1
2. Rheumatism	• • •										• • •	7
3. Gout	•••										İ	• • • •
4. Rickets	•••										•••	
5. Cancer					- 1	- 1		- 11	- 0	- 1	• • •	
6. Phthisis												3
7. Other Forms of Scrofula												8
8. Other Constitutional Diseases												
V. Developmental Diseases (Prem. Birth, Old		• • •	•••	.		•	•		•	•	•••	• • •
Age, &c.)	1									,	1	
VI. Local Diseases	1		"		• • • •				1		1	4
1. Diseases of Nervous System	•••	1	• • • •		•••	•••	•		•		***	
2, ,, Organs of Special Sense.	•••	1					•••		•••	•		1
3. ,, Circulatory System	•••				1	•	•	0		3	•••	
A Pogning town Court and			••• •	.	1			2	1	1	• • •	$\frac{6}{10}$
Dicontino Sautoro	0	• •		•	•	• •	2	2	1	2		12
6 Lymphotic Cystem	2.	•••	• • •		• • • •	•• •	• • •	• •	1.	• •	• • •	3
7. ,, Gland-like Organs	•••	••	•••	••	•	••	•	••  •	• • •	• •	• • •	
), older in olganis	• • • .		••	• •	• • •	••	• • •	••		•	• • •	
<u> </u>	• • •	• • •	•• .	• •	•••	••	•	••  .		• •	• • •	•••
y, soproductive bysceni	••	••	•	••  •	••			••  •			• • •	
(a.) Organs of Generation	•••	• •	••	••	•• •	•	1	••  •		•	• • •	1
(6.) Diseases of Parturition	•	• •   •	• •	•    •	••	•	• •	• •    •	• • •	•	• • •	•••
10. Diseases of Bones and Joints												• • •
)) )) = Samerally System	•••	••	••	••  •	• • •		• •	••  •	•		• • •	
VII. Violence	••	••		••  -				••  •	• •		•••	
1. Accident											• • •	5
2. Homicide			- 1	- 11		- 1	- 1	- 11			•••	
3. Suicide		••	•• •	- 11	- 1	- 1		- 11	- [		• • •	
Total Charles	2.	e c   e	•• •						1		•••	5
(a) Convulsions	3	1.		$\cdot \cdot    \cdot$				$\cdot \cdot \  \cdot$		•		4
								-  .		-		
				1		1				1		

(G) TABLE OF REPORTED CASES OF INFECTIOUS DISEASE.

Dar	re.	No. of Case	DISEASE.	RESULT.	REMARKS ON CONDITION OF PREMISES, &c.	REMOVED TO HOSPITAL OR NOT.
Aug.	23	1	Erysipelas	Recovery	Good	No.
Oct.		2	Typhoid Fever	,,	Drains block in wet weather	Yez.
Nov.	2	3	Scarlatina	,, {	Uncovered Privy Midden-	Yes.
Dec.	8	3a	,,	Death {	Water Supply from well Uncovered Privy Midden—	Yes.
Nov.	7	4	<b>?</b> ?	Recovery	Water Sudply from well Good	Yes.
Nov.	7	5	>1	,,	Uncovered Midden. Well.	Yes.
Nov.	7	6	,,,	> >	,,	Yes.
Nov.	9	7	,,	<b>3 3</b>	Fairly good Water Supply well	Yes.
Nov.	12	7a	,,	,,	"	Yes.
Nov.	21	7b	,,	,,,	,,	Yes.
Nov.	22	7e	,,	> >	,,	Yes.
Nov.	14	8	Typhoid Fever	, ,	Good	No.
Nov.	16	9	Scarlatina	Death	"	Yes.
Nov.	18	10	,,	Recovery	,,	No.
Dec.	6	11	,,	,,	,,	Yes.
Dec.	18	12	,,	,,	Uncovered Midden. Well.	No.
Dec.	30	12a	,,	,,	**	No.
Dec.	28	13	,,	3 9	Good	Yes.
Dec.	29	14	Typhoid Fever	,,	Untrapped Sink Waste	No.

Several Cases occurring in one house are noted by the same number with a etter attached.

TABLE (H) — RAINFALL in 1898, at Hall Ings, Southowram, in the County of York.

Rain Guage—Diameter of Funnel, 5 in.; Heighth of Top above Ground, 7 in.; above Sea Level, 750 feet.

Month.	Total Depth.	Greatest 24 hou		Number of Days on which '01 in. or more fell.
- Company of the Comp	Inches.	Depth.	Date.	
January .	1.69	*38	5	13
February	2 45	·47	28	17
March	1.24	•29	1	13
April	2:75	.74	11	14
May	2:59	•37	19	19
June	2.70	1.09	26	16
July	1.18	•41	22	12
August	3.61	<b>'</b> 63	3	17
September	<b>'4</b> 3	·22	29	8
October	4.28	.90	16	19
November	2.46	•73	22	17
December	3 36	•74	26	21
Total	28.74			186

The Rainfall for 1898 has been 3.62 ins. below the average for the preceding eight years.

The maximum shade temperature of the year was 88 on Aug. 12th and Sep. 4th and 7th.

The minimum shade temperature of the year was 23 on Feb. 21st.

An inch of rain means a gallon of water spread over a surface of nearly two square feet, or a little over 100 tons upon an acre.

GEORGE E. ASPINALL.

#### SOUTHOWRAM SANITARY DISTRICT.

Inspector's Report of Sa	nitary V Decemb			npleted	l in the	yea	ar
Number of complaints recei	ved duri	ng the s	vear				34
Number of inspections made		-			• • •		246
				• • •	• •	• • •	240
	LTS OF I			_			4.4
Order issued for Sanitary an				nd pret	nises	• • •	nil
Houses disinfected after Inf						• • •	28
Houses, premises, &c. clean	sed	• • •	• • •	• • •	• • •	• • •	I
	HOUSE I	DRAINS.					
Repaired, cleansed, &c	• • •	• • •	• • •			• • •	14
Trapped or ventilated	• • •	• • •		• • •	• • •		18
PRIVIES	S AND W.	ATER C	LOSETS	•			
Repaired, cleansed, &c	• • •		• • •	• • •		• • •	I
New provided						• • •	6
*							
Panairad and assessed in	ASH I						~
Repaired and covered in	• • •	• • •	• • •		• • •		
New provided	• • •	• • •	• • •	• • •	• • •	• • •	5
	WATER S	SUPPLY.					
Houses supplied with water	• • •		• • •	• • •	• • •	• • •	nil
S	TREETS	DRAINE	D.				
Names and number connect	ed to nev	w drain	age, i l	nouse, S	St. Pete	er's	
Square		• • •			•••		I
-							
	MISCELL			of	Conit		
Number of lodging-houses r Act, 1866					Samu	11 y	nil
Removal of accumulation of							,,,,,
refuse	_	···	•••				I
Removal of animals imprope			• • •	• • •	• • •		nil
Number of licensed slaughte	• -						nil
Other proceedings, e. g., leg		0	•		• • •		nil
Number of Nuisances left u	_	_			• • •		I
	abated,				• • •		34
"	nabated,	0	_		• • •		nil
,, ,, u.	naparoa	Jiidiiig	2090	•••		• • •	7000

(Signed) R. NICHOLL,
Nuisance Inspector to Urban District Council,
Southowram.

